

**TOP SECRET**

~~TOP SECRET~~ 252100Z SEP 70 CITE | 9425

9425

25 SEP 70 21

25X1  
25X1

CORONA

REF: 3201

B: DISCUSSION 18 SEP 70

SUB-1: MSN 1110 DENSITY PROFILE DATA

SUBJ: MSN 1110 DENSITY PROFILE DATA  
REF MESSAGE REQUIRED PROVIDE DENSITY PROFILES OF 6 25X1  
FRS FROM MSN 1110 ACQUIRED DURING A FILTER/SLIT CHANGE OPERATION.  
DENSITY DATA PRINTOUTS WERE GIVEN TO ON 18 SEP 70 FOR 25X1  
EXPOSURE ANALYSIS AT DENSITY PRINTOUTS WERE OBTAINED USING 25X1  
THE MANN MICRODESNITOMETER WITH THE FOLLOWING PARAMETERS:

APERTURE: 20 MICROMETER EIA. SPOT

MODE: RASTER SCAN

SPACING: A. 200 MICROMETERS BETWEEN SAMPLES

SPACING: A. 200 MICRUMETERS BETWEEN ROWS  
B. 400 MICRUMETERS BETWEEN ROWS

AN AREA 2CM BY 2CM WAS SCANNED.

AN AREA 2000 BY 2000  
TOP SECRET

EOM

**GROUP ONE**

(TOP SECRET)

25X1